



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

1/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### Product identifier

**Trade name** SUSPEND® SC INSECTICIDE  
**Product code (UVP)** 05946468  
**SDS Number** 102000003167  
**EPA Registration No.** 432-763

#### Relevant identified uses of the substance or mixture and uses advised against

**Use** Insecticide  
**Restrictions on use** See product label for restrictions.

#### Information on manufacturer

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
USA

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577

**Product Information Telephone Number**

**SDS Information or Request** SDSINFO.BCS-NA@bayer.com

### SECTION 2: HAZARDS IDENTIFICATION

#### Classification in accordance with regulation HCS 29CFR §1910.1200

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

#### Other hazards

No other hazards known.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Deltamethrin	52918-63-5	4.75
1,2-Propanediol	57-55-6	15.20
Nonylphenol ethoxylate, branched	127087-87-0	2.85



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

2/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

---

### SECTION 4: FIRST AID MEASURES

#### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

#### Most important symptoms and effects, both acute and delayed

**Symptoms** To date no symptoms are known.

#### Indication of any immediate medical attention and special treatment needed

**Treatment** Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended. There is no specific antidote.

---

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

**Suitable** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam, Water

**Unsuitable** None known.

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

#### Advice for firefighters

**Special protective equipment for fire-fighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Evacuate personnel to safe areas. Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

3/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

---

<b>Flash point</b>	no data available
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---

### SECTION 6: ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Precautions** Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

#### Methods and materials for containment and cleaning up

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Decontaminate tools and equipment following cleanup. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

### SECTION 7: HANDLING AND STORAGE

#### Precautions for safe handling

**Advice on safe handling** Avoid contact with skin, eyes and clothing. Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Smoking, eating and drinking should be prohibited in the application area. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

**Conditions for safe storage, including any incompatibilities**



**SUSPEND® SC INSECTICIDE**

Version 3.0 / USA  
102000003167

4/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

**Requirements for storage areas and containers** Store in original container. Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Protect from freezing.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Deltamethrin	52918-63-5	0.02 mg/m3 (TWA)		OES BCS*
Silicon dioxide	7631-86-9	6 mg/m3 (REL)	2010	NIOSH
Silicon dioxide (Particulate.)	7631-86-9	27ug/m3 (ST ESL)	02 2013	TX ESL
Silicon dioxide (Particulate.)	7631-86-9	2ug/m3 (AN ESL)	02 2013	TX ESL
Silicon dioxide	7631-86-9	0.8 mg/m3 (TWA)	2000	Z3
Silicon dioxide	7631-86-9	20millions of particles per cubic foot of air (TWA)	2000	Z3
1,2-Propanediol (Vapor.)	57-55-6	1000ug/m3 (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	50ppb (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	500ppb (ST ESL)	02 2013	TX ESL
1,2-Propanediol (Vapor.)	57-55-6	100ug/m3 (AN ESL)	02 2013	TX ESL
1,2-Propanediol (Aerosol.)	57-55-6	10 mg/m3 (TWA)	2010	WEEL
Nonylphenol ethoxylate, branched	127087-87-0	600ug/m3 (ST ESL)	10 2003	TX ESL
Nonylphenol ethoxylate, branched	127087-87-0	60ug/m3 (AN ESL)	10 2003	TX ESL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

5/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

---

<b>Hand protection</b>	Chemical-resistant gloves made of waterproof material such as neoprene, butyl rubber, barrier laminate or nitrile rubber.
<b>Eye protection</b>	Tightly fitting safety goggles
<b>Skin and body protection</b>	Wear long-sleeved shirt and long pants and shoes plus socks.
<b>General protective measures</b>	Eye wash facility and safety shower should be available. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry. Follow all label instructions. Train employees in safe use of the product.

---

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	white
<b>Physical State</b>	liquid suspension
<b>Odor</b>	none
<b>Odour Threshold</b>	no data available
<b>pH</b>	<= 7.0 at 100 %
<b>Vapor Pressure</b>	no data available
<b>Vapor Density (Air = 1)</b>	no data available
<b>Density</b>	ca. 1.05 g/cm <sup>3</sup> at 20 °C
<b>Evaporation rate</b>	no data available
<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	no data available
<b>Water solubility</b>	immiscible
<b>Minimum Ignition Energy</b>	not applicable
<b>Decomposition temperature</b>	no data available
<b>Partition coefficient: n-octanol/water</b>	no data available
<b>Viscosity</b>	1,300 - 1,800 cps
<b>Flash point</b>	no data available
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

6/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

---

### SECTION 10: STABILITY AND REACTIVITY

#### Reactivity

<b>Thermal decomposition</b>	no data available
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	freezing
<b>Incompatible materials</b>	Strong oxidizing agents, Strong reducing agents
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

### SECTION 11: TOXICOLOGICAL INFORMATION

<b>Exposure routes</b>	Inhalation, Skin contact, Eye contact, Ingestion
<b>Immediate Effects</b>	
<b>Skin</b>	Contact with product may result in transient tingling and reddening of the skin.
<b>Inhalation</b>	Harmful if inhaled.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD50 (rat) > 15,000 mg/kg
<b>Acute inhalation toxicity</b>	LC50 (rat) > 1.02 mg/l Exposure time: 4 h Determined in the form of liquid aerosol. Highest attainable concentration. No deaths  LC50 (rat) > 4.08 mg/l Exposure time: 1 h Determined in the form of liquid aerosol. Extrapolated from the 4 hr LC50.
<b>Acute dermal toxicity</b>	LD50 (rabbit) > 10,000 mg/kg
<b>Skin irritation</b>	Slight irritation (rabbit)
<b>Eye irritation</b>	Minimally irritating. (rabbit)
<b>Sensitisation</b>	Non-sensitizing. (guinea pig)
<b>Assessment repeated dose toxicity</b>	

Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

7/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

### Assessment Mutagenicity

Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

### Assessment Carcinogenicity

Deltamethrin was not carcinogenic in lifetime feeding studies in rats and mice.

### ACGIH

None.

### NTP

None.

### IARC

Deltamethrin 52918-63-5 Overall evaluation: 3

### OSHA

None.

### Assessment toxicity to reproduction

Deltamethrin did not cause reproductive toxicity in a two-generation study in rats.

### Assessment developmental toxicity

Deltamethrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Deltamethrin are related to maternal toxicity.

### Further information

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

---

## SECTION 12: ECOLOGICAL INFORMATION

<b>Toxicity to fish</b>	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.00026 mg/l
	Exposure time: 96 h
	LC50 (Lepomis macrochirus (Bluegill sunfish)) 0.00017 mg/l
	Exposure time: 96 h
<b>Toxicity to aquatic invertebrates</b>	LC50 (Eastern Oyster) 0.0082 mg/l
	Exposure time: 96 h
	LC50 (Mysidopsis bahia (mysid shrimp)) 0.000001 mg/l
	Exposure time: 96 h

**Biodegradability** Deltamethrin: ; not rapidly biodegradable

**Koc** Deltamethrin: Koc: 10240000



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

8/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

---

<b>Bioaccumulation</b>	Lepomis macrochirus (Bluegill sunfish)  Bioconcentration factor (BCF): 189 - 3,930
<b>Bioaccumulation</b>	Deltamethrin: Bioconcentration factor (BCF) 1,400; Does not bioaccumulate.
<b>Mobility in soil</b>	Deltamethrin: Immobile in soil
<b>Environmental precautions</b>	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

<b>Product</b>	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.
<b>Contaminated packaging</b>	Triple rinse containers. Add washings to sprayer at time of filling. Puncture container to avoid re-use. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
<b>RCRA Information</b>	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

## SECTION 14: TRANSPORT INFORMATION

<b>49CFR</b>	Not dangerous goods / not hazardous material
<b>IMDG</b>	
UN number	<b>3082</b>
Class	9
Packaging group	III
Marine pollutant	YES





**SUSPEND® SC INSECTICIDE**

Version 3.0 / USA  
102000003167

9/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(DELTAMETHRIN SOLUTION)

**IATA**

UN number **3082**  
Class 9  
Packaging group III  
Environm. Hazardous Mark YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(DELTAMETHRIN SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN  
POISON

**SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-763

**US Federal Regulations**

**TSCA list**

1,2-Propanediol 57-55-6  
Nonylphenol ethoxylate, branched 127087-87-0

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

1,2-Propanediol 57-55-6 MN

**Canadian Regulations**

**Canadian Domestic Substance List**

Nonylphenol ethoxylate, branched 127087-87-0

**Environmental  
CERCLA**



## SUSPEND® SC INSECTICIDE

Version 3.0 / USA  
102000003167

10/10  
Revision Date: 07/01/2014  
Print Date: 06/28/2018

---

None.

### Clean Water Section 307 Priority Pollutants

None.

### Safe Drinking Water Act Maximum Contaminant Levels

None.

### International Regulations

#### European Inventory of Existing Commercial Substances (EINECS)

Deltamethrin 52918-63-5

### EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if inhaled.  
Do not breathe vapours or spray mist.  
Contact with product may result in transient tingling and reddening of the skin.  
Remove and wash contaminated clothing before re-use.

---

## SECTION 16: OTHER INFORMATION

### NFPA 704 (National Fire Protection Association):

Health - 2      Flammability - 1      Instability - 0      Others - none

### HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 2      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 07/01/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.